

SAFETY DATA SHEET

Date 09- Jul-2015 14

visio n Date 17-Δı a-2022 Version 1

Issue Date 09-Jul-2015	Revision Date 17-Aug-2022	version 1
	1. IDENTIFICATION	
Product identifier		
Product Name	Self Sealer 618	
Other means of identification		
Other means of identification Product Code	MS-618	
UN/ID no.	None	
Synonyms	None	
Recommended use of the chemic	al and restrictions on use	
Recommended Use	Sealant.	
Uses advised against	None known	
Details of the supplier of the safe	ty data sheet	
Manufacturer Address		
Hernon Manufacturing Inc.		
121 Tech Drive		
Sanford, FL 32771		
800-527-0004		
Emergency telephone number		
Company Phone Number	407-322-4000	
Emergency Telephone	Chemtel 800-255-3924	
	2. HAZARDS IDENTIFICATION	
Oleasitiesties		
<u>Classification</u>		
OSHA Regulatory Status		
	ardous by the 2012 OSHA Hazard Communication Standard (2	9 CFR 1910.1200)
Reproductive toxicity	Catego	ory 2
l shal slaw su (s		
Label elements		
· · ·	Emergency Overview	
Warning		
Hazard statements		
Suspected of damaging fertility or th	ie unborn child	
$\langle \mathcal{A} \rangle$		
Appearance Dispersion	Physical state Liquid	Odor Ammonia

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed May be harmful in contact with skin. Causes mild skin irritation Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
RED IRON OXIDE	1309-37-1	7 - 13	*
MUSCOVITE MICA	12001-26-2	7 - 13	*
GLYCOL MONOLAUTYL ETHER	111-76-2	3 - 7	*
MINERAL OIL	8042-47-5	0.1 - 1	*
AMMONIUM HYDROXIDE	1336-21-6	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	No information available.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog). Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products At flame temperatures, traces of toxic fluorides and hydrogen cyanide may be formed.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. See section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep at temperatures between 46°F and 82°F (8°C and 28°C).
Incompatible materials	Acids.
8. EXF	POSURE CONTROLS/PERSONAL PROTECTION

Control parameters Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
MUSCOVITE MICA	TWA: 3 mg/m ³ respirable	(vacated) TWA: 3 mg/m ³ respirable	IDLH: 1500 mg/m ³
12001-26-2	particulate matter	dust <1% Crystalline silica	TWA: 3 mg/m ³ containing <1%
		TWA: 20 mppcf <1% Crystalline	Quartz respirable dust
		silica	
RED IRON OXIDE	TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ fume	IDLH: 2500 mg/m ³ Fe dust and
1309-37-1	particulate matter	TWA: 15 mg/m ³ total dust	fume
		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ Fe dust and fume
		(vacated) TWA: 10 mg/m ³ fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m ³ respirable	
		fraction regulated under Rouge	
GLYCOL MONOLAUTYL ETHER	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing. Use rubber or plastic gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Dispersion Orange	Odor Odor threshold	Ammonia No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	Values $8-10$ No information available >= 100 °C / 212 °FNo information available No information availableNo information availableNo information availableNo information available $0 0 \circ C$ < 11.23No information available No information available	<u>Remarks • Method</u>	

Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials Acids.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
RED IRON OXIDE	> 10000 mg/kg (Rat)	-	-
1309-37-1			
GLYCOL MONOLAUTYL ETHER	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			= 486 ppm (Rat) 4 h
MINERAL OIL	> 5000 mg/kg (Rat)	-	-
8042-47-5			
AMMONIUM HYDROXIDE	= 350 mg/kg (Rat)	-	-
1336-21-6			

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity No information available. Carcinogenicity Chemical Name ACGIH IARC NTP **OSHA** RED IRON OXIDE Group 3 1309-37-1 GLYCOL MONOLAUTYL A3 Group 3 -ETHER 111-76-2 Polytetrafluoroethylene Group 3 ---9002-84-0 Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,995.30	mg/kg
ATEmix (dermal)	4,767.80	mg/kg
ATEmix (inhalation-vapor)	23.8379	mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
RED IRON OXIDE	-	100000: 96 h Danio rerio mg/L LC50	-
1309-37-1		static	
GLYCOL MONOLAUTYL ETHER	-	1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static	EC50
		2950: 96 h Lepomis macrochirus	
		mg/L LC50	
MINERAL OIL	-	10000: 96 h Lepomis macrochirus	-
8042-47-5		mg/L LC50	
AMMONIUM HYDROXIDE	-	8.2: 96 h Pimephales promelas	0.66: 48 h Daphnia pulex mg/L
1336-21-6		mg/L LC50	EC50
			0.66: 48 h water flea mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient	
GLYCOL MONOLAUTYL ETHER	0.81	
111-76-2		
MINERAL OIL	6	
8042-47-5		

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

Chemical Name	California Hazardous Waste Status
AMMONIUM HYDROXIDE	Toxic

1336-21-6 Corrosive

14. TRANSPORT INFORMATION

<u>DOT</u> UN/ID no.	Not regulated None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IATA	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IMDG	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
GLYCOL MONOLAUTYL ETHER - 111-76-2	1.0
AMMONIUM HYDROXIDE - 1336-21-6	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	-
Chronic Health Hazard	-

Fire hazard	-
Sudden release of pressure hazard	-
Reactive Hazard	-

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
AMMONIUM HYDROXIDE	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
MUSCOVITE MICA 12001-26-2	Х	X	Х
RED IRON OXIDE 1309-37-1	Х	X	Х
GLYCOL MONOLAUTYL ETHER 111-76-2	Х	X	Х
Polytetrafluoroethylene 9002-84-0	-	-	Х
AMMONIUM HYDROXIDE 1336-21-6	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards - Health hazards -	Flammability - Flammability -	Instability - Physical hazards -	Physical and Chemical Properties - Personal protection -
Prepared By Issue Date Revision Date Revision Note	SDS coordinator 09-Jul-2015 17-Aug-2022 No information available			

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet