

SAFETY DATA SHEET

Issue Date 24-Apr-2015 Revision Date 17-Feb-2021 Version 1

1. IDENTIFICATION

Product identifier

Product Name Supertacker 357

Other means of identification

Product Code MS-357 UN/ID no. UN1897 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesives.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address
Hernon Manufacturing Inc.
121 Tech Drive
Sanford, FL 32771
800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2B |
| Carcinogenicity | Category 2 |

Label elements

Emergency Overview

Warning

Hazard statements

Causes skin irritation Causes eye irritation Suspected of causing cancer



Appearance No information available Physical state Liquid Odor Ether

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Substance</u>

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|--------------------------------|-----------|----------|--------------|
| TETRACHLOROETHYLENE | 127-18-4 | 60 - 100 | * |
| STYRENE, 1,3-BUTADIENE POLYMER | 9003-55-8 | 10 - 30 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

MS-357 - Supertacker 357 Revision Date 17-Feb-2021

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSmall leaks: Wipe up, or soak up immediately with inert material. Remove to outdoors.

Large spills: Evacuate area; contain liquid; transfer to closed metal containers; keep out of

water supply.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

MS-357 - Supertacker 357 Revision Date 17-Feb-2021

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 7 and 29 °C.

Incompatible materials Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------------|------------------------------|---|---------------|
| TETRACHLOROETHYLENE 127-18-4 | STEL: 100 ppm TWA: 25 ppm | TWA: 100 ppm (vacated) TWA: 25 ppm (vacated) TWA: 170 mg/m³ | IDLH: 150 ppm |
| 127-18-4 | TWA: 25 ppm | , , | |

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Ether

ColorOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Does not apply

Evaporation rate Slower than ether No information available Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

No information available

No information available

Vapor pressure13 mm HgVapor density> 1 [Air=1]Relative density1.36Water solubilityNegligible

Solubility in other solvents No information available

MS-357 - Supertacker 357

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous Decomposition Products

Hydrogen chloride. Carbon dioxide (CO2). Hydrocarbons. Phosgene. Chlorine.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------|--------------------|-------------|-----------------------|
| TETRACHLOROETHYLENE | = 2629 mg/kg (Rat) | = | = 27.8 mg/L (Rat) 4 h |
| 127-18-4 | | | |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------------|-------|----------|------------------------|------|
| TETRACHLOROETHYLENE | A3 | Group 2A | Reasonably Anticipated | X |
| 127-18-4 | | • | | |
| STYRENE, 1,3-BUTADIENE | - | Group 3 | - | - |
| POLYMER | | | | |
| 9003-55-8 | | | | ļ |

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------------|-------------------------------|-------------------------------------|------------------------------------|
| TETRACHLOROETHYLENE | 500: 96 h Pseudokirchneriella | 11.0 - 15.0: 96 h Lepomis | 6.1 - 9.0: 48 h Daphnia magna mg/L |
| 127-18-4 | subcapitata mg/L EC50 | macrochirus mg/L LC50 static 12.4 - | EC50 Static |
| | - | 14.4: 96 h Pimephales promelas | |
| | | mg/L LC50 flow-through 4.73 - 5.27: | |
| | | 96 h Oncorhynchus mykiss mg/L | |
| | | LC50 flow-through 8.6 - 13.5: 96 h | |
| | | Pimephales promelas mg/L LC50 | |
| | | static | |

Persistence and degradability

No information available.

Bioaccumulation

| Chemical Name | Partition coefficient |
|---------------------|-----------------------|
| TETRACHLOROETHYLENE | 2.53 - 2.88 |
| 127-18-4 | |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------------|------|----------------------------|---------------------------|------------------------|
| TETRACHLOROETHYLENE | U210 | Included in waste streams: | 0.7 mg/L regulatory level | U210 |
| 127-18-4 | | F001, F002, F024, F025, | | |
| | | F039, K016, K019, K020, | | |
| | | K073, K116, K150, K151 | | |

| Chemical Name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|------------------------------|---|------------------------|--|------------------------|
| TETRACHLOROETHYLENE 127-18-4 | Category I - Volatiles | | Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. | - |

| Chemical Name | California Hazardous Waste Status |
|---------------------|-----------------------------------|
| TETRACHLOROETHYLENE | Toxic |
| 127-18-4 | |

14. TRANSPORT INFORMATION

DOT

UN/ID no. UN1897

Proper shipping name Tetrachloroethylene mixture

Hazard Class 6.1 Packing Group III

Special ProvisionsIB3, N36, T4, TP1
Description
Limited quantities: 2 L

<u>IATA</u>

<u>UN/ID</u> no. UN1897

Proper shipping name Tetrachloroethylene mixture

Hazard Class 6.1
Packing Group III
Special Provisions None

Description Limited quantities: 2 L

IMDG

UN/ID no. UN1897

Proper shipping name Tetrachloroethylene mixture

Hazard Class 6.1
Packing Group III
Special Provisions None

Description Limited quantities: 5 L

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies Complies AICS

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--------------------------------|-------------------------------|
| TETRACHLOROETHYLENE - 127-18-4 | 0.1 |

SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| TETRACHLOROETHYLENE 127-18-4 | - | X | X | - |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------|--------------------------|----------------|-----------------------------------|
| TETRACHLOROETHYLENE | 100 lb 1 lb | - | RQ 100 lb final RQ |
| 127-18-4 | | | RQ 45.4 kg final RQ RQ 1 lb final |
| | | | RQ |
| | | | RQ 0.454 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|--------------------------------|---------------------------|--|
| TETRACHLOROETHYLENE - 127-18-4 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------|------------|---------------|--------------|
| TETRACHLOROETHYLENE | X | X | X |
| 127-18-4 | | | |

MS-357 - Supertacker 357 Revision Date 17-Feb-2021

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties -

HMIS Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 24-Apr-2015 Revision Date 17-Feb-2021

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet